

Study Overview

Endobronchial Valve Therapy for Treatment of Severe Emphysema

Publications for the Use of Endobronchial Valve Therapy in the Treatment of Severe Emphysema

Caviedes IR, Labarca G, de Oliveira HG, Herth FJF, Fernandez-Bussy S. Non-Answered Questions in Patients with Endobronchial Valve Placement for Lung Volume Reduction.

Respiration. February 2018. doi:10.1159/000484252

Clark SJ, Zoumot Z, Bamsey O, et al. Surgical approaches for lung volume reduction in emphysema.

Clinical Medicine. 2014;14(2):122-127.

Coxson HO, Nasute Fauerbach PV, Storness-Bliss C, et al. Computed tomography assessment of lung volume changes after bronchial valve treatment. Eur Respir J. 2008;32(6):1443-1450. doi:10.1183/09031936.00056008

Criner GJ, Delage A, Voelker K. Late Breaking Abstract - Endobronchial Valves for Severe Emphysema – 12-month Results of the EMPROVE Trial.

Eur Respir J. 2018;52(suppl 62). doi:10.1183/13993003.congress-2018.OA4928

Criner GJ, Delage A, Voelker KG, for the EMPROVE Trial Investigator Group. The EMPROVE Trial - a Randomized, Controlled Multicenter Clinical Study to Evaluate the Safety and Effectiveness of the Spiration? Valve System for Single Lobe Treatment of Severe Emphysema. In: C24. NEW TECHNOLOGIES FOR MANAGING COPD. American Thoracic Society International Conference Abstracts. American Thoracic Society; 2018:A7753-A7753. doi:10.1164/ajrccm-conference.2018.197.1_MeetingAbstracts.A7753

Criner GJ, Cordova F, Sternberg AL, Martinez FJ. The National Emphysema Treatment Trial (NETT) Part II: Lessons learned about lung volume reduction surgery.

Am J Respir Crit Care Med. 2011;184(8):881-893. doi:10.1164/rccm.201103-0455CI

Criner GJ, Sue R, Wright S, et al. A Multicenter Randomized Controlled Trial of Zephyr Endobronchial Valve Treatment in Heterogeneous Emphysema (LIBERATE).

Am J Respir Crit Care Med. 2018;198(9):1151-1164. doi:10.1164/rccm.201803-0590OC

Darwiche K, Aigner C. Clinical management of lung volume reduction in end stage emphysema patients.

J Thorac Dis. 2018;10(Suppl 23):S2732-S2737. doi:10.21037/jtd.2018.02.69

Darwiche K, Karpf-Wissel R, Eisenmann S, et al. Bronchoscopic Lung Volume Reduction with Endobronchial Valves in Low-FEV1 Patients. Respiration. 2016;92(6):414-419. doi:10.1159/000452629

Davey C, Zoumot Z, Jordan S, et al. Bronchoscopic lung volume reduction with endobronchial valves for patients with heterogeneous emphysema and intact interlobar fissures (The BeLieVeR-HiFi trial): study design

and rationale. *Thorax*. 2015;70(3):288-290. doi:10.1136/thoraxjnl-2014-205127

de Oliveira HG, de Oliveira SM, Rambo RR, de Macedo Neto AV. Fissure Integrity and Volume Reduction in Emphysema: A Retrospective Study. *Respiration*. 2016;91:471-479. doi:10.1159/000446288

Decker MR, Leverson GE, Jaoude WA, Maloney JD. Lung volume reduction surgery since the National Emphysema Treatment Trial: Study of Society of Thoracic Surgeons Database. *J Thorac Cardiovasc Surg*. 2014 Dec;148(6):2651-8.e1. doi:10.1016/j.jtcvs.2014.02.005

Deslée G, Mal H, Dutau H, et al. Lung Volume Reduction Coil Treatment vs Usual Care in Patients With Severe Emphysema: The REVOLENS Randomized Clinical Trial. *JAMA*. 2016;315(2):175-184. doi:10.1001/jama.2015.17821

Du Y, She D, Liang Z, Yang W, Chen L. The safety and efficacy of endobronchial valve therapy in patients with advanced heterogeneous emphysema versus standard medical care: A meta-analysis. *Medicine*. 2018;97(35):e12062. doi:10.1097/MD.00000000000012062

Eberhardt R, Gompelmann D, Herth FJ, Schuhmann M. Endoscopic bronchial valve treatment: patient selection and special considerations. *Int J Chron Obstruct Pulmon Dis*. 2015;10:2147-2157. doi:10.2147/COPD.S63473

Eberhardt R, Gompelmann D, Schuhmann M, Heussel CP, Herth FJF. Complete unilateral vs partial bilateral endoscopic lung volume reduction in patients with bilateral lung emphysema. *Chest*. 2012;142(4):900-908. doi:10.1378/chest.11-2886

Eberhardt R, Herth FJF, Radhakrishnan S, Gompelmann D. Comparing Clinical Outcomes in Upper versus Lower Lobe Endobronchial Valve Treatment in Severe Emphysema. *Respiration*. September 2015. doi:10.1159/000437358

Fernandez-Bussy S, Labarca G, Majid A. Endoscopic Lung Volume Reduction by Endobronchial Coils: First Report From Latin America. *J Bronchology Interv Pulmonol*. 2018;25(1):e4-e6. doi:10.1097/LBR.0000000000000414

Fiorelli A, D'Andrilli A, Bezzi M, et al. Complications related to endoscopic lung volume reduction for emphysema with endobronchial valves: results of a multicenter study. *Journal of Thoracic Disease*. 2018;1(1):S3315-S3325-S3325.

Fiorelli A, Santini M, Shah P. When can computed tomography-fissure analysis replace Chartis collateral ventilation assessment in the prediction of patients with emphysema who might benefit from endobronchial valve therapy? *Interact Cardiovasc Thorac Surg*. 2018;26(2):313-318. doi:10.1093/icvts/ivx272

Fiorelli A, Santoriello C, De Felice A, et al. Bronchoscopic lung volume reduction with endobronchial valves for heterogeneous emphysema: long-term results. *J Vis Surg*. 2017;3. doi:10.21037/jovs.2017.10.04

Fishman A, Martinez F, Naunheim K, et al. A randomized trial comparing lung-volume-reduction surgery with medical therapy for severe emphysema. *N Engl J Med*. 2003;348(21):2059-2073. doi:10.1056/NEJMoa030287

Flandes J, Soto FJ, Cordovilla R, Cases E, Alfayate J. Bronchoscopic Lung Volume Reduction. *Clin Chest Med*. 2018;39(1):169-180. doi:10.1016/j.ccm.2017.11.013

Franzen DP, Lang C, Agorastos N, Freitag L, Kohler M, Schmid-Grendelmeier P. Evaluation of Nickel Release from Endobronchial Valves as a Possible Cause of Hypersensitivity Pneumonitis in a Patient Treated with Bronchoscopic Lung Volume Reduction. *Int Arch Allergy Immunol*. November 2017. doi:10.1159/000481986

Franzen D, Straub G, Freitag L. Complications after bronchoscopic lung volume reduction. *J Thorac Dis*. 2018;10(Suppl 23):S2811-S2815. doi:10.21037/jtd.2018.06.66

Geddes D, Davies M, Koyama H, et al. Effect of lung-volume-reduction surgery in patients with severe emphysema. *New England Journal of Medicine*. 2000;343(4):239-245. doi:10.1056/NEJM200007273430402

Global Initiative for Chronic Obstructive Lung Disease (GOLD). 2019 Global Strategy for the Diagnosis, Management, and Prevention of COPD. 2018.

Gompelmann D, Benjamin N, Bischoff E, et al. Survival after Endoscopic Valve Therapy in Patients with Severe Emphysema. *RES*. September 2018:1-8. doi:10.1159/000492274

Gompelmann D, Benjamin N, Kontogianni K, et al. Clinical and radiological outcome following pneumothorax after endoscopic lung volume reduction with valves. *Int J Chron Obstruct Pulmon Dis*. 2016;11:3093-3099. doi:10.2147/COPD.S117890

Gompelmann D, Kontogianni K, Schuhmann M, Eberhardt R, Heussel CP, Herth FJ. The minimal important difference for target lobe volume reduction after endoscopic valve therapy. *International Journal of Chronic Obstructive Pulmonary Disease*. doi:10.2147/COPD.S152029

Gompelmann D, Eberhardt R, Schuhmann M, et al. Lung Volume Reduction with Vapor Ablation in the Presence of Incomplete Fissures: 12-Month Results from the STEP-UP Randomized Controlled Study. *Respiration*. 2016;92(6):397-403. doi:10.1159/000452424

Gompelmann D, Gerovasili V, Kontogianni K, et al. Endoscopic Valve Removal >180 Days since Implantation in Patients with Severe Emphysema. *RES*. 2018;96(4):348-354. doi:10.1159/000489887

Gompelmann D, Herth FJF, Slebos DJ, et al. Pneumothorax following endobronchial valve therapy and its impact on clinical outcomes in severe emphysema. *Respiration*. 2014;87(6):485-491. doi:10.1159/000360641

Gompelmann D, Hofbauer T, Gerovasili V, et al. Predictors of clinical outcome in emphysema patients with atelectasis following endoscopic valve therapy: A retrospective study. *Respirology*. June 2016. doi:10.1111/resp.12819

Gompelmann D, Lim H, Eberhardt R, et al. Predictors of pneumothorax following endoscopic valve therapy in patients with severe emphysema. *International Journal of Chronic Obstructive Pulmonary Disease*. 2016;11:1767.

Hartman JE, Klooster K, Groen H, Hacken NHT ten, Slebos D-J. Cost-effectiveness of endobronchial valve treatment in patients with severe emphysema compared to standard medical care. *Respirology*. 2018;23(9):835-841. doi:10.1111/resp.13295

Herth FJF, Noppen M, Valipour A, et al. Efficacy predictors of lung volume reduction with Zephyr valves in a European cohort. *Eur Respir J*. 2012;39(6):1334-1342. doi:10.1183/09031936.00161611

Herth FJF, Slebos D-J, Criner GJ, Shah PL. Endoscopic Lung Volume Reduction: An Expert Panel Recommendation - Update 2017. *Respiration*. 2017;94(4):380-388. doi:10.1159/000479379

Herth FJF, Valipour A, Shah PL, et al. Segmental volume reduction using thermal vapour ablation in patients with severe emphysema: 6-month results of the multicentre, parallel-group, open-label, randomised controlled STEP-UP trial. *Lancet Respir Med*. February 2016. doi:10.1016/S2213-2600(16)00045-X

Herzog D, Poellinger A, Doellinger F, et al. Modifying Post-Operative Medical Care after EBV Implant May Reduce Pneumothorax Incidence. *PLoS One*. 2015;10(5). doi:10.1371/journal.pone.0128097

Hogarth DK, Delage A, Zgoda MA, Reed MF. Evaluation of the Safety and Effectiveness of the Spiration Valve System for Single Lobe Treatment of Severe Emphysema in Patients with Alpha-1 Antitrypsin Deficiency. In: C24. NEW TECHNOLOGIES FOR MANAGING COPD. American Thoracic Society International Conference Abstracts. American Thoracic Society; 2018:A7754-A7754. doi:10.1164/ajrccm-conference.2018.197.1_MeetingAbstracts.A7754

Hopkinson NS, Kemp SV, Toma TP, et al. Atelectasis and survival after bronchoscopic lung volume reduction for COPD. *European Respiratory Journal*. 2011;37(6):1346-1351. doi:10.1183/09031936.00100110

Huang W, Wang WR, Deng B, et al. Several clinical interests regarding lung volume reduction surgery for severe emphysema: meta-analysis and systematic review of randomized controlled trials. *J Cardiothorac Surg*. 2011;6:148. doi:10.1186/1749-8090-6-148

Iftikhar IH, McGuire FR, Musani AI. Predictors of efficacy for endobronchial valves in bronchoscopic lung volume reduction: A meta-analysis. *Chron Respir Dis*. 2014;11(4):237-245. doi:10.1177/1479972314546766

Jones PW. St. George's Respiratory Questionnaire: MCID. *COPD*. 2005;2(1):75-79.

Jarad N. Clinical review: Endobronchial valve treatment for emphysema. *Chron Respir Dis*. 2016;13(2):173-188. doi:10.1177/1479972316631139

Kemp SV, Slebos D-J, Kirk A, et al. A Multicenter Randomized Controlled Trial of Zephyr Endobronchial Valve Treatment in Heterogeneous Emphysema (TRANSFORM). *Am J Respir Crit Care Med*. 2017;196(12):1535-1543. doi:10.1164/rccm.201707-1327OC

Klooster K, Slebos D-J, Zoumot Z, Davey C, Shah PL, Hopkinson NS. Endobronchial valves for emphysema: an individual patient-level reanalysis of randomised controlled trials. *BMJ Open Respiratory Research*. 2017;4(1):e000214. doi:10.1136/bmjresp-2017-000214

Klooster K, Ten Hacken NHT, Hartman JE, Kerstjens HAM, van Rikxoort EM, Slebos D-J. Endobronchial Valves for Emphysema without Interlobar Collateral Ventilation. *N Engl J Med*. 2015;373(24):2325-2335. doi:10.1056/NEJMoa1507807

Koegelenberg CFN, Slebos D-J, Shah PL, et al. Time for the Global Rollout of Endoscopic Lung Volume Reduction. *Respiration*. September 2015. doi:10.1159/000439311

Koenigkam-Santos M, Puderbach M, Gompelmann D, et al. Incomplete fissures in severe emphysematous patients evaluated with MDCT: incidence and interobserver agreement among radiologists and pneumologists. *Eur J Radiol*. 2012;81(12):4161-4166. doi:10.1016/j.ejrad.2012.06.006

Kontogianni K, Gerovasili V, Gompelmann D, et al. Coil therapy for patients with severe emphysema and bilateral incomplete fissures - effectiveness and complications after 1-year follow-up: a single-center experience. *Int J Chron Obstruct Pulmon Dis*. 2017;12:383-394. doi:10.2147/COPD.S117655

Koster TD, van Rikxoort EM, Huebner R-H, et al. Predicting Lung Volume Reduction after Endobronchial Valve Therapy Is Maximized Using a Combination of Diagnostic Tools. *Respiration*. August 2016. doi:10.1159/000448849

Koster TD, Slebos D-J. The fissure: interlobar collateral ventilation and implications for endoscopic therapy in emphysema. *Int J Chron Obstruct Pulmon Dis*. 2016;11:765-773. doi:10.2147/COPD.S103807

Kumar A, Dy R, Singh K, Jeffery Mador M. Early Trends in Bronchoscopic Lung Volume Reduction: A Systematic Review and Meta-analysis of Efficacy Parameters. *Lung*. 2017;195(1):19-28. doi:10.1007/s00408-016-9969-x

Li S, Wang G, Wang C, et al. The REACH Trial – a randomized controlled trial assessing the safety and effectiveness of the Spiration® Valve System in the treatment of severe emphysema in China. *Respiration*. 2018. DOI: 10.1159/000494327

Liberator C, Shenoy K, Marchetti N, Criner G. The Role of Lobe Selection on FEV1 Response in Endobronchial Valve Therapy. *COPD*. January 2016:1-6. doi:10.3109/15412555.2015.1115007

Low S-W, Lee JZ, Desai H, Hsu C-H, Sam AR, Knepler JL. Endobronchial Valves Therapy for Advanced Emphysema: A Meta-Analysis of Randomized Trials. *Journal of Bronchology & Interventional Pulmonology*. 2018;Publish Ahead of Print. doi:10.1097/LBR.0000000000000527

Minervini F, Kestenholz PB, Paolini V, et al. Surgical and endoscopic treatment for COPD: patients selection, techniques and results. *Journal of Thoracic Disease*. 2018;1(1):S3344-S3351-S3351.

National Institute for Health Care and Excellence. Interventional procedures guidance [IPG600]: Endobronchial valve insertion to reduce lung volume in emphysema. 2017.

Naunheim KS, Wood DE, Mohsenifar Z, et al. Long-term follow-up of patients receiving lung-volume-reduction surgery versus medical therapy for severe emphysema by the National Emphysema Treatment Trial Research Group. *Ann Thorac Surg*. 2006;82(2):431-443.

Ninane V, Geltner C, Bezzi M, et al. Multicentre European study for the treatment of advanced emphysema with bronchial valves. *Eur Respir J*. 2012;39(6):1319-1325. doi:10.1183/09031936.00019711

Pietzsch JB, Busca R, Rott C, et al. Adoption Patterns of Bronchoscopic Lung Volume Reduction Procedures in Germany and Predicted Procedure Volumes for Other European Countries. *RES*. August 2018:1-8. doi:10.1159/000491677

Sarmand N, Gompelmann D, Kontogianni K, Polke M, Herth FJ, Eberhardt R. New bacterial growth in bronchial secretions after bronchoscopic valve implantation. *International Journal of Chronic Obstructive Pulmonary Disease*. doi:10.2147/COPD.S148196

Schuhmann M, Raffy P, Yin Y, et al. Computed tomography predictors of response to endobronchial valve lung reduction treatment. Comparison with Chartis. *Am J Respir Crit Care Med*. 2015 Apr 1;191(7):767-74. doi:

10.1164/rccm.201407-1205OC.

Sciurba FC, Ernst A, Herth FJF, et al. A randomized study of endobronchial valves for advanced emphysema. *N Engl J Med*. 2010;363(13):1233-1244. doi:10.1056/NEJMoa0900928

Shah PL, Gompelmann D, Valipour A, et al. Thermal vapour ablation to reduce segmental volume in patients with severe emphysema: STEP-UP 12 month results.

The Lancet Respiratory Medicine. doi:10.1016/S2213-2600(16)30199-0

Shah PL, Herth FJF. Current status of bronchoscopic lung volume reduction with endobronchial valves.

Thorax. 2014;69(3):280-286. doi:10.1136/thoraxjnl-2013-203743

Shah PL, Herth FJ, van Geffen WH, Deslee G, Slebos D-J. Lung volume reduction for emphysema. *Lancet Respir Med*. September 2016. doi:10.1016/S2213-2600(16)30221-1

Shah PL, Zoumot Z, Singh S, et al. Endobronchial coils for the treatment of severe emphysema with hyperinflation (RESET): a randomised controlled trial. *Lancet Respiratory Medicine*. 2013;1(3):233-240.

doi:10.1016/S2213-2600(13)70047-X

Simon M, Ittrich H, Harbaum L, Oqueka T, Kluge S, Klose H. Bleeding Complications After Endoscopic Lung Volume Reduction Coil Treatment: A Retrospective Observational Study.

Arch Bronconeumol. August 2016. doi:10.1016/j.arbres.2016.04.012

Slebos D-J, Shah PL, Herth FJF, Valipour A. Endobronchial Valves for Endoscopic Lung Volume Reduction: Best Practice Recommendations from Expert Panel on Endoscopic Lung Volume Reduction.

Respiration. 2017;93(2):138-150. doi:10.1159/000453588

Springmeyer SC, Bolliger CT, Waddell TK, Gonzalez X, Wood DE, IBV Valve Pilot Trials Research Teams.

Treatment of heterogeneous emphysema using the spiration IBV valves.

Thorac Surg Clin. 2009;19(2):247-253, ix-x. doi:10.1016/j.thorsurg.2009.02.005

Sterman DH, Mehta AC, Wood DE, et al. A multicenter pilot study of a bronchial valve for the treatment of severe emphysema. *Respiration*. 2010;79(3):222-233. doi:10.1159/000259318

Szłubowska S, Zalewska-Puchała J, Majda A, et al. The influence of lung volume reduction with intrabronchial valves on the quality of life of patients with heterogeneous emphysema - a prospective study.

Pneumonol Alergol Pol. 2015;83(6):418-423. doi:10.5603/PiAP.2015.0069

Trudzinski FC, Höink AJ, Leppert D, et al. Endoscopic Lung Volume Reduction Using Endobronchial Valves in Patients with Severe Emphysema and Very Low FEV1. *Respiration*. September 2016. doi:10.1159/000448761

Valenti A, Casutt A, Koutsokera A, et al. Late Major Hemoptysis After Lung Volume Reduction With Coils Induced by Dual Antiaggregation Therapy.

Ann Thorac Surg. 2016;101(2):e49-50. doi:10.1016/j.athoracsur.2015.06.045

Valipour A. Valve therapy in patients with emphysematous type of chronic obstructive pulmonary disease (COPD): from randomized trials to patient selection in clinical practice.

J Thorac Dis. 2018;10(Suppl 23):S2780-S2796. doi:10.21037/jtd.2018.08.86

Valipour A, Herth FJF, Burghuber OC, et al. Target lobe volume reduction and COPD outcome measures after endobronchial valve therapy.

European Respiratory Journal. 2014;43(2):387-396. doi:10.1183/09031936.00133012

Valipour A, Slebos D-J, Herth F, et al. Endobronchial Valve Therapy in Patients with Homogeneous Emphysema: Results from the IMPACT Study. Am J Respir Crit Care Med. August 2016. doi:10.1164/rccm.201607-1383OC

van Geffen WH, Klooster K, Hartman JE, et al. Pleural Adhesion Assessment as a Predictor for Pneumothorax after Endobronchial Valve Treatment. Respiration. 2017;94(2):224-231. doi:10.1159/000477258

Venuta F, de Giacomo T, Rendina EA, et al. Bronchoscopic lung-volume reduction with one-way valves in patients with heterogenous emphysema.

Ann Thorac Surg. 2005;79(2):411-416; discussion 416-417. doi:10.1016/j.athoracsur.2004.07.048

Wang Y, Lai T-W, Xu F, et al. Efficacy and safety of bronchoscopic lung volume reduction therapy in patients with severe emphysema: a meta-analysis of randomized controlled trials.

Oncotarget. 2017;8(44):78031-78043. doi:10.18632/oncotarget.19352

Welling JBA, Hartman JE, van Rikxoort EM, et al. Minimal important difference of target lobar volume reduction after endobronchial valve treatment for emphysema. Respirology. September 2017. doi:10.1111/resp.13178

Welling JBA, Slebos D-J. Lung volume reduction with endobronchial coils for patients with emphysema.

J Thorac Dis. 2018;10(Suppl 23):S2797-S2805. doi:10.21037/jtd.2017.12.95

Wood DE, Nader DA, Springmeyer SC, et al. The IBV Valve trial: a multicenter, randomized, double-blind trial of endobronchial therapy for severe emphysema.

J Bronchology Interv Pulmonol. 2014;21(4):288-297. doi:10.1097/LBR.0000000000000110

Zoumot Z, Davey C, Jordan S, et al. A Randomised Controlled Study of Bronchoscopic Lung Volume Reduction with Endobronchial Valves for Patients with Heterogeneous Emphysema and Intact Interlobar Fissures: The BeLieVeR-HiFi Study. Southampton (UK): NIHR Journals Library; 2015. <http://www.ncbi.nlm.nih.gov/books/NBK316148/>. Accessed December 3, 2015.

Zoumot Z, Davey C, Jordan S, et al. Endobronchial valves for patients with heterogeneous emphysema and without interlobar collateral ventilation: open label treatment following the BeLieVeR-HiFi study.

Thorax. 2017;72(3):277-279. doi:10.1136/thoraxjnl-2016-208865

Zoumot Z, Kemp SV, Singh S, et al. Endobronchial Coils for Severe Emphysema Are Effective Up to 12 Months following Treatment: Medium Term and Cross-Over Results from a Randomised Controlled Trial. PLoS ONE.

2015;10(4):e0122656. doi:10.1371/journal.pone.0122656

Disclaimer:

The statements and opinions contained in the publications listed in this Selected Bibliography are solely those of the individual authors and contributors and not of Olympus Respiratory America, its parents, subsidiaries, affiliates, directors, officers, employees, agents or representatives (collectively "Olympus"). The content of these publications may contain discussion of off-label uses. Please consult the prescribing information and device documentation for full disclosure of approved uses. To the extent permissible under applicable laws, no responsibility is assumed by Olympus for any injury and/or damage to persons or property as a result of any actual or alleged libelous statements, infringement of intellectual property or privacy rights, or products liability, whether resulting from negligence or otherwise, or from any use of operation of any ideas, instructions, procedures, products or methods contained in the material herein. Updated December 2018.

As medical knowledge is constantly growing, technical modifications or changes of the product design, product specifications, accessories and service offerings may be required.

OLYMPUS

OLYMPUS EUROPA SE & CO. KG
Postbox 10 49 08, 20034 Hamburg, Germany
Wendenstrasse 20, 20097 Hamburg, Germany
Phone: +49 40 23773-0, Fax: +49 40 233765
www.olympus-europa.com