

OLYMPUS

ScopeGuide

Just One Switch Away



Increase Your Potential ...



Challenges in Colonoscopy

Insertion of a flexible scope into a semifixed organ is no straightforward process. Therefore, loop formation of the scope can occur inside the colon leading to unsuccessful cecum intubation or procedure prolongation.

Also, inaccurate scope movement can increase patient pain and decrease acceptance of colonoscopy.

ScopeGuide addresses these challenges by providing a continuous, real-time image of the scope position during the entire procedure to increase your potential.

Increase Your Potential ...

... By Making Every Colonoscopy Seamless



- ScopeGuide supports the improvement of cecal intubation rate, regardless of operator experience^{1,2}

- Enables better handling in difficult colon cases, decreasing the need for prolonged colonoscopy

Increase Your Potential ...

... By Optimizing Internal Processes



- ScopeGuide may increase confidence in decision-making during and after colonoscopy due to the visualization of scope movement

- Results in less need for intense supervision during colonoscopy, enabling a more effective staff allocation³
- Enables easier planning and scheduling due to decreased numbers of prolonged colonoscopies

Increase Your Potential ...

... By Ensuring Patient Satisfaction

- The amount of sedative drugs required during a colonoscopy can be reduced with ScopeGuide, contributing to fewer complications and quicker patient recovery^{1,4,5}

- Reduces patient pain by enabling operators to make preemptive adjustments of the scope, potentially leading to less patient reluctance towards colonoscopy



Increase **Your Potential ...**



Seamless
Colonoscopy



Optimal
Process



Patient
Satisfaction

Are You Switched ON?

Get more information

www.olympus.eu/scopeguide



References

1. Magnetic endoscopic imaging as an adjuvant to elective colonoscopy: a systematic review and meta-analysis of randomized controlled trials, Mark-Christensen A et al. Endoscopy. 2015 Mar; 47(3): 251-61. doi: 10.1055/s-0034-1390767. Epub 2014 Dec 18.
2. Magnetic endoscopic imaging vs standard colonoscopy: meta-analysis of randomized controlled trials. Chen Y et al., World J Gastroenterol. 2013 Nov 7; 19(41): 7197-204. doi: 10.3748/wjg.v19.i41.7197.
3. Magnetic endoscopic imaging versus standard colonoscopy in a routine colonoscopy setting: a randomized, controlled trial., Holme Ö1 et al. Gastrointest Endosc. 2011 Jun; 73(6): 1215-22. doi: 10.1016/j.gie.2011.01.054. Epub 2011 Apr 8.
4. Magnetic endoscope imaging for routine colonoscopy: impact on propofol dosage and patient safety – a randomized trial. Endoscopy, Klare P et al. Endoscopy, 2016 Oct; 48(10); 916-22. doi: 10.1055/s-0042-110933. Epub 2016 Jul 21
5. Risks Associated With Anesthesia Services During Colonoscopy. Karen J. Wernli et al., Gastroenterology 2016 April; 150 (4): 888-894. doi: 10.1053/j.gastro.2015.12.018. Epub 2015 Dec 18.

Specifications, design and accessories are subject to change without any notice or obligation on the part of the manufacturer.

The OLYMPUS logo is displayed in a bold, blue, sans-serif font. A thick yellow horizontal line is positioned directly beneath the text.

OLYMPUS EUROPA SE & CO. KG

Postbox 10 49 08, 20034 Hamburg, Germany
Wendenstrasse 14-18, 20097 Hamburg, Germany
Phone: +49 40 23773-0, Fax: +49 40 233765
www.olympus-europa.com



E0428904EN · 07/19 · OEGK